

AMENDMENT #2

2.2 Planting Requirements – Addition of 2.2.16 “mulching”

2.2.16 Trees must be mulched on the day of planting. Shredded hardwood mulch free of dye and coloring is to be used. The mulch should be spread 2-3 inches thick and out to the dripline of the trees crown or 4 ft. away from the trees trunk and then raked off the trunk (mulch should not touch the tree trunk or be piled up on the trunk of the tree).

Addition of **Appendix G** “Recommended tree list for RESTORE grant tree planting

Recommended tree list for RESTORE grant tree planting

This is only a partial list to provide some, but not all, acceptable or suitable species

Southern magnolia- *magnolia grandiflora*

Sweet bay magnolia-*Magnolia virginiana*

Nuttall or Texas red oak- *Quercus nuttallii*

Southern live oak- *Quercus virginiana*

Southern maple “Florida Flame”-*Acer rubrum* ‘Florida flame’

Overcup oak-*Quercus lyrata*

Tulip or yellow poplar-*Liriodendron tulipifera*

Bald cypress-*Taxodium distichum*

Pond cypress-*Taxodium ascendens*

Persimmon- *Diospyros virginiana*

White oak- *Quercus alba*

American sycamore-*Platanus occidentalis*

Tupelo or Black gum-*Nyssa sylvatica* “bonfire” or “wildfire”

Hickory types- *Carya* “ovata”(shagbark) and “tomentosa”(mockernut)
“illinoensis”(pecan)

Green ash- *Fraxinus pennsylvanica*